



Analysis

Date(s)

2/15/2023

Extraction Date(s)

2/15/2023

Customer:

Appalachian Standard LLC 91 Holbrook Road

Address:

Asheville, NC 28806 Pucker Up Gummies (Infused)

Sample ID:

Matrix: Labnumber: Edible

23B0069-03 Total mass or volume per unit (g or mL): 4.4710

Cannabinoid Profile

Consulting

Test Conditions: 17°C **Extraction Technician: SH** Analytical Chemist: SH

Cannabinoids (HPLC)		Results		
	LOD (mg/g)	%	mg/g	mg/Gummy
Cannabidivarin (CBDV)		0.004	0.036	0.163
Cannabidiolic Acid (CBD-A)	< 0.030			
Cannabigerolic Acid (CBG-A)	< 0.030			
Cannabigerol (CBG)		0.005	0.054	0.241
Cannabidiol (CBD)		0.43	4.32	19.3
Tetrahydrocannabivarin (THCV)	<0.030			
Cannabinol (CBN)	< 0.030			
Cannabichromene (CBC)	< 0.030			
delta 9-Tetrahydrocannabinol (THC)		0.02	0.197	0.882
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.060			
delta 8-Tetrahydrocannabinol	<0.060			
(6aR,9S)-delta-10-THC	<0.060	011 -	1110	00
(6aR,9R)-delta-10-THC	<0.060			5
Cannabinoids Total		%		mg/g
Max Active THC (delta-9-tetrahydrocannabinol)		0.02		0.20
Max Active CBD		0.43		4.32
Total Cannabinoids		0.46		4.61

factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection

Cannabinoid

(mg/g) 6 2 (6aR,9R)-delta-10-THC (6aR,9S)-delta-10-THC Cannabichromene (CBC) Cannabidiol (CBD) Cannabidiolic Acid (CBD-A) Cannabidivarin (CBDV) delta-9-Tetrahydrocannabinolic Acid (THC-A) delta 9-Tetrahydrocanna (THC) Cannabigerol (CBG) Cannabigerolic Acid (CBG-A) Cannabinol (CBN) delta 8-Tetrahydrocannabinol Tetrahydrocannabivari (THCV)

Gary Brook - Laboratory Director - 2/16/2023

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.